



**ROCKROOSTER**  
**BUILT FOR COMFORT**

FALL 2024 WORKBOOK







# WORK BOOTS





**AP9951**

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Soft toe
- **Shank:** Steel shank
- **Outsole:**
- Rubber oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
- Durable, water resistant nubuck leather upper
- **Lining:**
- COOLMAX® hygroscopic, breathable lining
- Waterproof, moisture-wicking lining
- **Footbed:**
- Cushioning PU footbed
- **Technology:**
- COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
- Meets ASTM F2892-18 EH Standards

**AP9952**

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Steel toe
- **Shank:** Steel shank
- **Outsole:**
- Rubber oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
- Durable, water resistant nubuck leather upper
- **Lining:**
- COOLMAX® hygroscopic, breathable lining
- Waterproof, moisture-wicking lining
- **Footbed:**
- Cushioning PU footbed
- **Technology:**
- COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
- Meets ASTM F2413-18 I/75 C/75 EH Standards

LAST 7105

HEIGHT 6"

LAST 7105

HEIGHT 6"

**AK050**

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Steel toe
- **Shank:** Steel shank
- **Outsole:**
  - TPU oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
  - Durable, water resistant nubuck leather upper
- **Lining:**
  - COOLMAX® hygroscopic, breathable lining
  - Waterproof, moisture-wicking lining
- **Footbed:**
  - Cushioning PORON XRD® footbed
- **Technology:**
  - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
  - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
  - Meets ASTM F2413-18 I/75 C/75 SD Standards

LAST 828

HEIGHT 5"

**AK050BK**

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Steel toe
- **Shank:** Steel shank
- **Outsole:**
  - TPU oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
  - Durable, water resistant full-grain leather upper
- **Lining:**
  - COOLMAX® hygroscopic, breathable lining
  - Waterproof, moisture-wicking lining
- **Footbed:**
  - Cushioning PORON XRD® footbed
- **Technology:**
  - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
  - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
  - Meets ASTM F2413-18 I/75 C/75 SD Standards

LAST 828

HEIGHT 5"





## AK222

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Steel toe
- **Shank:** Steel shank
- **Outsole:**
  - TPU oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
  - Durable, water resistant nubuck leather upper
- **Lining:**
  - COOLMAX® hygroscopic, breathable lining
  - Waterproof, moisture-wicking lining
- **Footbed:**
  - Cushioning PORON XRD® footbed
- **Technology:**
  - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
  - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
  - Meets ASTM F2413-18 I/75 C/75 SD Standards

LAST 828

HEIGHT 6"

## AK227

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Steel toe
- **Shank:** Steel shank
- **Outsole:**
  - TPU oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
  - Durable, water resistant full-grain leather upper
- **Lining:**
  - COOLMAX® hygroscopic, breathable lining
  - Waterproof, moisture-wicking lining
- **Footbed:**
  - Cushioning PORON XRD® footbed
- **Technology:**
  - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
  - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
  - Meets ASTM F2413-18 I/75 C/75 SD Standards

LAST 828

HEIGHT 6"





## AK227NT

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Soft toe
- **Shank:** Steel shank
- **Outsole:**
  - TPU oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
  - Durable, water resistant full-grain leather upper
- **Lining:**
  - COOLMAX® hygroscopic, breathable lining
  - Waterproof, moisture-wicking lining
- **Footbed:**
  - Cushioning PORON XRD® footbed
- **Technology:**
  - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
  - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
  - Meets ASTM F2892-18 SD Standards

LAST 828

HEIGHT 6"



## AK224

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Soft toe
- **Shank:** Nylon shank
- **Outsole:**
  - Rubber oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
  - Durable, water resistant oiled crazy horse leather upper
- **Lining:**
  - COOLMAX® hygroscopic, breathable lining
  - Waterproof, moisture-wicking lining
- **Footbed:**
  - Cushioning PORON XRD® footbed
- **Technology:**
  - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
  - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
  - Meets ASTM F2892-18 EH Standards

LAST 828

HEIGHT 6"





## AK232

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Steel toe
- **Shank:** Steel shank
- **Outsole:**
  - Rubber oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
  - Durable, water resistant nubuck leather upper
- **Lining:**
  - COOLMAX® hygroscopic, breathable lining
  - Waterproof, moisture-wicking lining
- **Footbed:**
  - Cushioning PORON XRD® footbed
- **Technology:**
  - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
  - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
  - Meets ASTM F2413-18 I/75 C/75 SD Standards

LAST 828

HEIGHT 7"

## AK245

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Steel toe
- **Shank:** Steel shank
- **Outsole:**
  - Rubber oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
  - Durable, water resistant full-grain leather upper
- **Lining:**
  - COOLMAX® hygroscopic, breathable lining
  - Waterproof, moisture-wicking lining
- **Footbed:**
  - Cushioning PORON XRD® footbed
- **Technology:**
  - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
  - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
  - Meets ASTM F2413-18 I/75 C/75 SD Standards

LAST 828

HEIGHT 7"





## AK232Z

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Steel toe
- **Shank:** Steel shank
- **Outsole:**
  - TPU oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
  - Durable, water resistant nubuck leather upper
- **Lining:**
  - COOLMAX® hygroscopic, breathable lining
  - Waterproof, moisture-wicking lining
- **Footbed:**
  - Cushioning PORON XRD® footbed
- **Technology:**
  - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
  - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
  - Meets ASTM F2413-18 I/75 C/75 SD Standards

LAST 828

HEIGHT 7"

## AK245Z

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Steel toe
- **Shank:** Steel shank
- **Outsole:**
  - TPU oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
  - Durable, water resistant full-grain leather upper
- **Lining:**
  - COOLMAX® hygroscopic, breathable lining
  - Waterproof, moisture-wicking lining
- **Footbed:**
  - Cushioning PORON XRD® footbed
- **Technology:**
  - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
  - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
  - Meets ASTM F2413-18 I/75 C/75 SD Standards

LAST 828

HEIGHT 7"





## AK303

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Soft toe
- **Shank:** Steel shank
- **Outsole:**
  - Rubber oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
  - Durable, water resistant oiled full grain tumbled leather upper
- **Lining:**
  - HYDROGUARD® hygroscopic, breathable lining
  - Waterproof, moisture-wicking lining
- **Footbed:**
  - Cushioning PORON XRD® footbed
- **Technology:**
  - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
  - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
  - Meets ASTM F2892-18 EH Standards

LAST 828

HEIGHT 6"

## AK323

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Steel toe
- **Shank:** Steel shank
- **Outsole:**
  - Rubber oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
  - Durable, water resistant oiled full grain tumbled leather upper
- **Lining:**
  - HYDROGUARD® hygroscopic, breathable lining
  - Waterproof, moisture-wicking lining
- **Footbed:**
  - Cushioning PORON XRD® footbed
- **Technology:**
  - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
  - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
  - Meets ASTM F2413-18 I/75 C/75 EH Standards

LAST 828

HEIGHT 6"





**VAK370**

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Steel toe
- **Shank:** Steel shank
- **Outsole:**
- Vibram® outsole offers superior durability and traction
- **Upper:**
- Durable, water resistant oiled crazy horse leather upper
- **Lining:**
- COOLMAX® hygroscopic, breathable lining
- Waterproof, moisture-wicking lining
- **Footbed:**
- Cushioning PORON XRD® footbed
- **Technology:**
- XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
- COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
- Meets ASTM F2413-18 I/75 C/75 EH Standards

LAST 828

HEIGHT 6"



**VAK371**

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Soft toe
- **Shank:** Steel shank
- **Outsole:**
- Vibram® outsole offers superior durability and traction
- **Upper:**
- Durable, water resistant oiled full grain tumbled leather upper
- **Lining:**
- COOLMAX® hygroscopic, breathable lining
- Waterproof, moisture-wicking lining
- **Footbed:**
- Cushioning PORON XRD® footbed
- **Technology:**
- XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
- COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
- Meets ASTM F2892-18 EH Standards

LAST 828

HEIGHT 6"





**VAK372**

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Steel toe
- **Shank:** Steel shank
- **Outsole:**
  - Vibram® outsole offers superior durability and traction
- **Upper:**
  - Durable, water resistant oiled full grain tumbled leather upper
- **Lining:**
  - HYDROGUARD® hygroscopic, breathable lining
  - Waterproof, moisture-wicking lining
- **Footbed:**
  - Cushioning PORON XRD® footbed
- **Technology:**
  - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
  - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
  - Meets ASTM F2413-18 I/75 C/75 EH Standards

LAST 828

HEIGHT 6"



**VAK373**

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Soft toe
- **Shank:** Steel shank
- **Outsole:**
  - Vibram® outsole offers superior durability and traction
- **Upper:**
  - Durable, water resistant oiled crazy horse leather upper
- **Lining:**
  - HYDROGUARD® hygroscopic, breathable lining
  - Waterproof, moisture-wicking lining
- **Footbed:**
  - Cushioning PORON XRD® footbed
- **Technology:**
  - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
  - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
  - Meets ASTM F2892-18 EH Standards

LAST 828

HEIGHT 6"



**AK426**

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Steel toe
- **Shank:** Steel shank
- **Outsole:**
- Rubber oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
- Durable, water resistant oiled crazy horse leather upper
- **Lining:**
- COOLMAX® hygroscopic, breathable lining
- Waterproof, moisture-wicking lining
- **Footbed:**
- Cushioning PORON XRD® footbed
- **Technology:**
- XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
- COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
- Meets ASTM F2413-18 I/75 C/75 SD Standards

LAST 828

HEIGHT 6"



**AK428**


Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Steel toe
- **Shank:** Steel shank
- **Outsole:**
- Rubber oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
- Durable, water resistant oiled crazy horse leather upper
- **Lining:**
- HYDROGUARD® hygroscopic, breathable lining
- Waterproof, moisture-wicking lining
- **Footbed:**
- Cushioning PORON XRD® footbed
- **Technology:**
- XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
- COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
- Meets ASTM F2413-18 I/75 C/75 SD Standards

LAST 828

HEIGHT 8"





## AK436

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Soft toe
- **Shank:** Steel shank
- **Outsole:**
  - Rubber oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
  - Durable, water resistant oiled crazy horse leather upper
- **Lining:**
  - COOLMAX® hygroscopic, breathable lining
  - Waterproof, moisture-wicking lining
- **Footbed:**
  - Cushioning PORON XRD® footbed
- **Technology:**
  - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
  - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
  - Meets ASTM F2892-18 EH Standards

LAST 828

HEIGHT 6"

## AK609

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Composite toe
- **Shank:** Nylon shank
- **Outsole:**
  - Rubber oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
  - Durable, water resistant oiled crazy horse leather upper
- **Lining:**
  - COOLMAX® hygroscopic, breathable lining
  - Waterproof, moisture-wicking lining
- **Footbed:**
  - Cushioning PORON XRD® footbed
- **Technology:**
  - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
  - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
  - Meets ASTM F2413-18 I/75 C/75 SD Standards

LAST 828B

HEIGHT 6"



## AK639

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Soft toe
- **Shank:** Nylon shank
- **Outsole:**
  - Rubber oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
  - Durable, water resistant oiled crazy horse leather upper
- **Lining:**
  - HYDROGUARD® hygroscopic, breathable lining
  - Waterproof, moisture-wicking lining
- **Footbed:**
  - Cushioning PORON XRD® footbed
- **Technology:**
  - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
  - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
  - Meets ASTM F2892-18 EH Standards

LAST 828B

HEIGHT 6"

## AK639 Insulate

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Soft toe
- **Shank:** Nylon shank
- **Outsole:**
  - Rubber oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
  - Durable, water resistant oiled crazy horse leather upper
- **Lining:**
  - HYDROGUARD® hygroscopic, breathable lining
  - Waterproof, moisture-wicking lining
- **Footbed:**
  - Cushioning PORON XRD® footbed
- **Technology:**
  - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
  - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
  - Meets ASTM F2892-18 EH Standards

LAST 828B

HEIGHT 6"





## AK669

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Composite toe
- **Shank:** Nylon shank
- **Outsole:**
  - Rubber oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
  - Durable, water resistant oiled crazy horse leather upper
- **Lining:**
  - HYDROGUARD® hygroscopic, breathable lining
  - Waterproof, moisture-wicking lining
- **Footbed:**
  - Cushioning PORON XRD® footbed
- **Technology:**
  - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
  - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
  - Meets ASTM F2413-18 I/75 C/75 EH Standards

LAST 828B

HEIGHT 6"

## AK669 Insulate

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Composite toe
- **Shank:** Nylon shank
- **Outsole:**
  - Rubber oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
  - Durable, water resistant oiled crazy horse leather upper
- **Lining:**
  - HYDROGUARD® hygroscopic, breathable lining
  - Waterproof, moisture-wicking lining
- **Footbed:**
  - Cushioning PORON XRD® footbed
- **Technology:**
  - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
  - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
  - Meets ASTM F2413-18 I/75 C/75 EH Standards

LAST 828B

HEIGHT 6"





**AK869**

**Sizes: 4-15 [½ 7.5-11.5]**

- **Toe Type:** Composite toe
- **Shank:** Nylon shank
- **Outsole:**
  - Rubber oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
  - Durable, water resistant oiled crazy horse leather upper
- **Lining:**
  - HYDROGUARD® hygroscopic, breathable lining
  - Waterproof, moisture-wicking lining
- **Footbed:**
  - Cushioning PORON XRD® footbed
- **Technology:**
  - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
  - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
  - Meets ASTM F2413-18 I/75 C/75 EH Standards

**LAST 828B**

**HEIGHT 8"**







**WEDGE**





## VAP360

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Soft toe
- **Shank:** Steel shank
- **Outsole:**
  - Vibram® outsole offers superior durability and traction
- **Upper:**
  - Durable, water resistant oiled full grain tumbled leather upper
- **Lining:**
  - COOLMAX® hygroscopic, breathable lining
  - Waterproof, moisture-wicking lining
- **Footbed:**
  - Cushioning PORON XRD® footbed
- **Technology:**
  - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
  - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
  - Meets ASTM F2892-18 EH Standards

LAST 84992D

HEIGHT 6"

## VAP360 II

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Soft toe
- **Shank:** Steel shank
- **Outsole:**
  - Vibram® outsole offers superior durability and traction
- **Upper:**
  - Durable, water resistant oiled full grain tumbled leather upper
- **Lining:**
  - COOLMAX® hygroscopic, breathable lining
  - Waterproof, moisture-wicking lining
- **Footbed:**
  - Cushioning PORON XRD® footbed
- **Technology:**
  - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
  - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
  - Meets ASTM F2892-18 EH Standards

LAST 84992D

HEIGHT 6"





## VAP808

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Soft toe
- **Shank:** Steel shank
- **Outsole:**
  - Vibram® outsole offers superior durability and traction
- **Upper:**
  - Durable, water resistant oiled full grain tumbled leather upper
- **Lining:**
  - COOLMAX® hygroscopic, breathable lining
  - Waterproof, moisture-wicking lining
- **Footbed:**
  - Cushioning PORON XRD® footbed
- **Technology:**
  - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
  - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
  - Meets ASTM F2892-18 EH Standards

LAST 6155

HEIGHT 6"

## VAP828

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Composite toe
- **Shank:** Steel shank
- **Outsole:**
  - Vibram® outsole offers superior durability and traction
- **Upper:**
  - Durable, water resistant oiled full grain tumbled leather upper
- **Lining:**
  - COOLMAX® hygroscopic, breathable lining
  - Waterproof, moisture-wicking lining
- **Footbed:**
  - Cushioning PORON XRD® footbed
- **Technology:**
  - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
  - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
  - Meets ASTM F2413-18 I/75 C/75 EH PR Standards

LAST 6155

HEIGHT 6"



**VAP838**

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Soft toe
- **Shank:** Steel shank
- **Outsole:**
  - Vibram® outsole offers superior durability and traction
- **Upper:**
  - Durable, water resistant oiled crazy horse leather upper
- **Lining:**
  - COOLMAX® hygroscopic, breathable lining
  - Waterproof, moisture-wicking lining
- **Footbed:**
  - Cushioning PORON XRD® footbed
- **Technology:**
  - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
  - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
  - Meets ASTM F2892-18 EH Standards

LAST 84992D

HEIGHT 6"



**VAP858**

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Steel toe
- **Shank:** Steel shank
- **Outsole:**
  - Vibram® outsole offers superior durability and traction
- **Upper:**
  - Durable, water resistant oiled crazy horse leather upper
- **Lining:**
  - HYDROGUARD® hygroscopic, breathable lining
  - Waterproof, moisture-wicking lining
- **Footbed:**
  - Cushioning PORON XRD® footbed
- **Technology:**
  - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
  - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
  - Meets ASTM F2413-18 I/75 C/75 EHStandards

LAST 84992STD

HEIGHT 6"





**VAP611**

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Soft toe
- **Shank:** Steel shank
- **Outsole:**
  - Vibram® outsole offers superior durability and traction
- **Upper:**
  - Durable, water resistant oiled full grain tumbled leather upper
- **Lining:**
  - COOLMAX® hygroscopic, breathable lining
  - Waterproof, moisture-wicking lining
- **Footbed:**
  - Cushioning PORON XRD® footbed
- **Technology:**
  - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
  - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
  - Meets ASTM F2892-18 EH Standards

LAST 611M

HEIGHT 7"



**VAP615**

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Soft toe
- **Shank:** Steel shank
- **Outsole:**
  - Vibram® outsole offers superior durability and traction
- **Upper:**
  - Durable, water resistant oiled full grain tumbled leather upper
- **Lining:**
  - COOLMAX® hygroscopic, breathable lining
  - Waterproof, moisture-wicking lining
- **Footbed:**
  - Cushioning PORON XRD® footbed
- **Technology:**
  - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
  - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
  - Meets ASTM F2892-18 EH Standards

LAST 6155

HEIGHT 6"





**VAP621**

**Sizes: 4-15 [½ 7.5-11.5]**

- **Toe Type:** Steel toe
- **Shank:** Steel shank
- **Outsole:**
  - Vibram® outsole offers superior durability and traction
- **Upper:**
  - Durable, water resistant oiled crazy horse leather upper
- **Lining:**
  - COOLMAX® hygroscopic, breathable lining
  - Waterproof, moisture-wicking lining
- **Footbed:**
  - Cushioning PORON XRD® footbed
- **Technology:**
  - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
  - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
  - Meets ASTM F2413-18 I/75 C/75 EHStandards

**LAST 84992STD**

**HEIGHT 7"**





# HIKING







## KS252

Sizes: 8-14 [½ 7.5-11.5]

- **Shank:** Nylon shank
- **Outsole:**
  - Goodyear® oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
  - Durable, water resistant nubuck leather upper
- **Lining:**
  - HYDROGUARD® hygroscopic, breathable lining
  - Waterproof, moisture-wicking lining
- **Footbed:**
  - Cushioning PORON XRD® footbed
- **Technology:**
  - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
  - COMFORT MEMO® offers anti-fatigue performance

LAST LM14

HEIGHT 4"

## KS253

Sizes: 8-14 [½ 7.5-11.5]

- **Shank:** Nylon shank
- **Outsole:**
  - Goodyear® oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
  - Durable, water resistant nubuck leather upper
- **Lining:**
  - HYDROGUARD® hygroscopic, breathable lining
  - Waterproof, moisture-wicking lining
- **Footbed:**
  - Cushioning PORON XRD® footbed
- **Technology:**
  - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
  - COMFORT MEMO® offers anti-fatigue performance

LAST LM14

HEIGHT 4"



## KS257

Sizes: 8-14 [½ 7.5-11.5]

- **Shank:** Nylon shank
- **Outsole:**
  - Goodyear® oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
  - Durable, water resistant nubuck leather upper
- **Lining:**
  - HYDROGUARD® hygroscopic, breathable lining
  - Waterproof, moisture-wicking lining
- **Footbed:**
  - Cushioning PORON XRD® footbed
- **Technology:**
  - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
  - COMFORT MEMO® offers anti-fatigue performance

LAST LM14

HEIGHT 6"

## KS258

Sizes: 8-14 [½ 7.5-11.5]

- **Shank:** Nylon shank
- **Outsole:**
  - Goodyear® oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
  - Durable, water resistant nubuck leather upper
- **Lining:**
  - HYDROGUARD® hygroscopic, breathable lining
  - Waterproof, moisture-wicking lining
- **Footbed:**
  - Cushioning PORON XRD® footbed
- **Technology:**
  - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
  - COMFORT MEMO® offers anti-fatigue performance

LAST LM14

HEIGHT 6"





poronXrd | extreme  
impact  
protection

**COMFORT MEMO**  
ANTI-FATIGUE TECHNOLOGY

**GOODYEAR**

**KS5514**

Sizes: 7-15 [½ 7.5-11.5]

- **Shank:** Nylon shank
- **Outsole:**
  - Goodyear® oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
  - Durable, water resistant suede leather upper
- **Lining:**
  - HYDROGUARD® hygroscopic, breathable lining
  - Waterproof, moisture-wicking lining
- **Footbed:**
  - Cushioning PORON XRD® footbed
- **Technology:**
  - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
  - COMFORT MEMO® offers anti-fatigue performance

LAST LM14

HEIGHT 4"



poronXrd | extreme  
impact  
protection

**COMFORT MEMO**  
ANTI-FATIGUE TECHNOLOGY

**GOODYEAR**

**KS5516**

Sizes: 7-15 [½ 7.5-11.5]

- **Shank:** Nylon shank
- **Outsole:**
  - Goodyear® oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
  - Durable, water resistant suede leather upper
- **Lining:**
  - HYDROGUARD® hygroscopic, breathable lining
  - Waterproof, moisture-wicking lining
- **Footbed:**
  - Cushioning PORON XRD® footbed
- **Technology:**
  - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
  - COMFORT MEMO® offers anti-fatigue performance

LAST LM14

HEIGHT 6"





poron Xrd | extreme impact protection

COMFORT MEMO<sup>®</sup>  
ANTI-FATIGUE TECHNOLOGY

GOODYEAR



poron Xrd | extreme impact protection

COMFORT MEMO<sup>®</sup>  
ANTI-FATIGUE TECHNOLOGY

GOODYEAR

## KS5534

Sizes: 7-15 [½ 7.5-11.5]

- **Shank:** Nylon shank
- **Outsole:**
  - Goodyear<sup>®</sup> oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
  - Durable, water resistant suede leather upper
- **Lining:**
  - HYDROGUARD<sup>®</sup> hygroscopic, breathable lining
  - Waterproof, moisture-wicking lining
- **Footbed:**
  - Cushioning PORON XRD<sup>®</sup> footbed
- **Technology:**
  - XRD<sup>®</sup> Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
  - COMFORT MEMO<sup>®</sup> offers anti-fatigue performance

LAST LM14

HEIGHT 4"

## KS5536

Sizes: 7-15 [½ 7.5-11.5]

- **Shank:** Nylon shank
- **Outsole:**
  - Goodyear<sup>®</sup> oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
  - Durable, water resistant suede leather upper
- **Lining:**
  - HYDROGUARD<sup>®</sup> hygroscopic, breathable lining
  - Waterproof, moisture-wicking lining
- **Footbed:**
  - Cushioning PORON XRD<sup>®</sup> footbed
- **Technology:**
  - XRD<sup>®</sup> Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
  - COMFORT MEMO<sup>®</sup> offers anti-fatigue performance

LAST LM14

HEIGHT 6"





## KS535

Sizes: 7-14 [½ 7.5-11.5]

- **Shank:** Nylon shank
- **Outsole:**
  - Rubber oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
  - Durable, water resistant suede leather upper
- **Lining:**
  - HYDROGUARD® hygroscopic, breathable lining
  - Waterproof, moisture-wicking lining
- **Footbed:**
  - Cushioning PORON XRD® footbed
- **Technology:**
  - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
  - COMFORT MEMO® offers anti-fatigue performance

LAST LM12

HEIGHT 6"

## KS537

Sizes: 7-14 [½ 7.5-11.5]

- **Shank:** Nylon shank
- **Outsole:**
  - Rubber oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
  - Durable, water resistant suede leather upper
- **Lining:**
  - HYDROGUARD® hygroscopic, breathable lining
  - Waterproof, moisture-wicking lining
- **Footbed:**
  - Cushioning PORON XRD® footbed
- **Technology:**
  - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
  - COMFORT MEMO® offers anti-fatigue performance

LAST LM12

HEIGHT 6"





## KS735

Sizes: 7-14 [½ 7.5-11.5]

- **Shank:** Nylon shank
- **Outsole:**
  - Rubber oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
  - Durable, water resistant suede leather upper
- **Lining:**
  - HYDROGUARD® hygroscopic, breathable lining
  - Waterproof, moisture-wicking lining
- **Footbed:**
  - Cushioning PORON XRD® footbed
- **Technology:**
  - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
  - COMFORT MEMO® offers anti-fatigue performance

LAST LM12

HEIGHT 8"

## KS737

Sizes: 7-14 [½ 7.5-11.5]

- **Shank:** Nylon shank
- **Outsole:**
  - Rubber oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
  - Durable, water resistant suede leather upper
- **Lining:**
  - HYDROGUARD® hygroscopic, breathable lining
  - Waterproof, moisture-wicking lining
- **Footbed:**
  - Cushioning PORON XRD® footbed
- **Technology:**
  - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
  - COMFORT MEMO® offers anti-fatigue performance

LAST LM12

HEIGHT 8"



VK10825

Sizes: 7-13 [½ 7.5-11.5]

- **Shank:** Steel shank
- **Outsole:**
  - Vibram® outsole offers superior durability and traction
- **Upper:**
  - Durable, water resistant full-grain leather upper
- **Lining:**
  - ROOF-TEX hygroscopic, breathable lining
  - Waterproof, moisture-wicking lining
- **Footbed:**
  - Cushioning PORON XRD® footbed
- **Technology:**
  - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
  - COMFORT MEMO® offers anti-fatigue performance

LAST RS-08

HEIGHT 6"



VK10820

Sizes: 7-13 [½ 7.5-11.5]

- **Shank:** Steel shank
- **Outsole:**
  - Vibram® outsole offers superior durability and traction
- **Upper:**
  - Durable, water resistant full-grain leather upper
- **Lining:**
  - ROOF-TEX hygroscopic, breathable lining
  - Waterproof, moisture-wicking lining
- **Footbed:**
  - Cushioning PORON XRD® footbed
- **Technology:**
  - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
  - COMFORT MEMO® offers anti-fatigue performance

LAST RS-08

HEIGHT 6"





**TACTICAL**





**AB5010**

Sizes: 7-14 [½ 7.5-11.5]

- **Toe Type:** Soft toe
- **Shank:** Nylon shank
- **Outsole:**
  - Goodyear® oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
  - Durable, water resistant suede leather upper
- **Lining:**
  - Hygroscopic, breathable lining
  - Waterproof, moisture-wicking lining
- **Footbed:**
  - Cushioning PORON XRD® footbed
- **Technology:**
  - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
  - COMFORT MEMO® offers anti-fatigue performance

LAST LM20

HEIGHT 8"



**AB5013**

Sizes: 7-14 [½ 7.5-11.5]

- **Toe Type:** Soft toe
- **Shank:** Nylon shank
- **Outsole:**
  - Goodyear® oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
  - Durable, water resistant full grain leather upper
- **Lining:**
  - Hygroscopic, breathable lining
  - Waterproof, moisture-wicking lining
- **Footbed:**
  - Cushioning PORON XRD® footbed
- **Technology:**
  - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
  - COMFORT MEMO® offers anti-fatigue performance

LAST LM20

HEIGHT 8"





**AB7010**

Sizes: 7-14 [½ 7.5-11.5]

**AB7013**

Sizes: 7-14 [½ 7.5-11.5]

- **Toe Type:** Soft toe
- **Shank:** Nylon shank
- **Outsole:**
  - Goodyear® oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
  - Durable, water resistant suede leather upper
- **Lining:**
  - HYDROGUARD® hygroscopic, breathable lining
  - Waterproof, moisture-wicking lining
- **Footbed:**
  - Cushioning PORON XRD® footbed
- **Technology:**
  - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
  - COMFORT MEMO® offers anti-fatigue performance

- **Toe Type:** Soft toe
- **Shank:** Nylon shank
- **Outsole:**
  - Goodyear® oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
  - Durable, water resistant full grain leather upper
- **Lining:**
  - HYDROGUARD® hygroscopic, breathable lining
  - Waterproof, moisture-wicking lining
- **Footbed:**
  - Cushioning PORON XRD® footbed
- **Technology:**
  - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
  - COMFORT MEMO® offers anti-fatigue performance



# WELLINGTON BOOTS





**PG1106**

**Sizes: 8-13**

- **Toe Type:** Composite toe
- **Outsole:**
  - BASF Polyurethane oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
  - Durable, waterproof BASF Polyurethane upper
- **Lining:**
  - COOLMAX® Eco Made hygroscopic, breathable lining
  - Waterproof, moisture-wicking lining
- **Footbed:**
  - Cushioning PORON XRD® footbed
- **Technology:**
  - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
  - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
  - Meets ASTM F2413-18 I/75 C/75 EH PR Standards

LAST LP-2

HEIGHT 12"







wechat

+86-18721212928 (whatsapp)

<https://rockroosterwholesale.com>